- USB Converter

MT606 Series

FEATURES:

- Use with Keyboard Wedge Scanners
- Use with Keyboard and Mouse
- PS/2 and MAC-ADB Port
- Powered by PC or MAC
- Connect/Disconnect Without Reboot
- Plug and Play
- No Software Needed

DESCRIPTION:



The MT606 Series USB Converters provide an easy solution for converting existing peripherals, such as keyboards, pointing devices and barcode scanners, to Universal Serial Bus. Models are available to work with both PS/2 and Macintosh devices. As with all USB devices, the converter can be connected and disconnected without re-booting or powering down the computer. Each model has two ports. The MT606-4 has one PS/2 port and one Macintosh ADB (Apple Desktop Bus) port. The MT606-1 has one PS/2 keyboard port and one PS/2 Mouse port.

TYPICAL APPLICATIONS:

The MT606 converter will enable keyboards, pointing devices (mouse, trackball), and conventional barcode scanners with keyboard wedge interfaces, to be used with computers that feature the newer Universal Serial BUS. At present, newer PCs with the Windows® 98 and Windows 2000 operating systems, feature USB Ports. The Apple iMac, iBook, G3 and G4 use Universal Serial Bus for interfacing to external devices. The Model MT606-1 can accept inputs from a PS/2 Pointing Device and a PS/2 Keyboard or Barcode Scanner. The MT606-4 can accept inputs from a PS/2 keyboard or barcode scanner and any Macintosh ADB device, including Keyboard, Pointing Device or Barcode Scanner.

SPECIFICATIONS:

Operating Voltage: 5VDC derived from USB connector. Operating Temperature: 0°C to 50°C Storage Temperature: -20°C to 60°C Dimensions: 2.2" X 1.5" X 56mm X 40r Cable Length: 2ft. (55cm.) Compliance: FCC Class

2.2" X 1.5" X 0.85" 56mm X 40mm X 22mm 2ft. (55cm.) FCC Class A, CE.

PART NUMBERS:

Part Number	Description
MT606-1	USB Converter for PS/2 Keyboard and
	Mouse.
MT606-4	USB Converter for PS/2 Barcode Scanner
	and Macintosh ADB Scanner or Key
	board.

